UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/588,881	09/29/2008	Jan Willem Visser	1365-101.US	4461
23390 COLIN P ABR	7590 07/14/201 AHAMS	EXAMINER		
5850 CANOGA	·-	MILLER, WILLIAM L		
SUITE 400 WOODLAND HILLS, CA 91367			ART UNIT	PAPER NUMBER
			3677	
			MAIL DATE	DELIVERY MODE
			07/14/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/588,881	VISSER ET AL.			
Office Action Summary	Examiner	Art Unit			
	William L. Miller	3677			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DOWN THE METERS THE	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONEI	L. viely filed the mailing date of this communication.			
Status					
Responsive to communication(s) filed on <u>09 And</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowed closed in accordance with the practice under Expression in the Expression in the practice under Expression in the practice under Expression in the practice under Expression in the Expression in the practice under Expression in the Expression	action is non-final.				
Disposition of Claims					
4) ☐ Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) 1,3 and 5-8 is/are allowed. 6) ☐ Claim(s) 2 and 4 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 09 August 2006 is/are:	r election requirement. r. a)∐ accepted or b)⊠ objected t	•			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

Art Unit: 3677

DETAILED ACTION

Priority

1. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in South Africa on 02-09-2004. It is noted, however, that applicant has not filed a certified copy of the foreign application as required by 35 U.S.C. 119(b).

Drawings

- 2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the articles (claim 1) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.
- 3. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3677

Specification

4. The abstract of the disclosure is objected to because of its usage of the term "means". Correction is required. See MPEP § 608.01(b).

5. On page 3, lines 17-18, the incorporation of essential material in the specification by reference to South African patents is improper. Applicant is required to amend the disclosure to include the material incorporated by reference, if the material is relied upon to overcome any objection, rejection, or other requirement imposed by the Office. The amendment must be accompanied by a statement executed by the applicant, or a practitioner representing the applicant, stating that the material being inserted is the material previously incorporated by reference and that the amendment contains no new matter. 37 CFR 1.57(f).

Claim Objections

- 6. Claims 3 and 4 are objected to because of the following informalities:
- 7. claim 3, line 1, delete "either of"; and
- 8. claim 4, line 1, delete "any one".
- 9. Appropriate correction is required.

Claim Rejections - 35 USC § 112

- 10. Claims 2 and 4 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 11. It is unclear if the plurality of spaced flow paths recited in claim 2 are referencing the at least one path previously recited in claim 1. It is noted element 34.1 disclosed in the drawings and specification is a continuous portion of the seam 34.

Art Unit: 3677

12. In claim 4, line 2, "the tube" lacks antecedent basis. Further, the claim is incomplete for failing to recite sufficient structural cooperation between the tube and the remainder of the apparatus. It appears claim 4 should be amended to depend from claim 3.

Allowable Subject Matter

- 13. Claims 1, 3, and 5-8 are allowed.
- 14. Claims 2 and 4 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

- 15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.
- 16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William L. Miller whose telephone number is (571) 272-7068. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Victor Batson can be reached on (571) 272-6987. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3677

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/William L. Miller/
Primary Examiner, Art Unit 3677